

## Post Hammer - Hydraulic/Telescopic (swinground)

### OVERVIEW

Browns tractor mounted Hydraulic Swing Round Post Hammer with Telescopic Arm is ideal for the farmer/contractor looking to install large amounts of fencing quickly.

The Post Hammer has hydraulically operated swing-round and telescopic arm giving 400mm of side shift, which ensures that the post hammer can be positioned exactly where it is required. Hydraulic mast tilt in four directions and three height adjustable legs, enable the post hammer to work uninhibited on undulating ground. The 200kg hammer is capable of knocking in straining posts whilst the rubber topped post cap protects the posts.



## FEATURES

- Cat 2 three point linkage
- Weight of hammer 200kg
- Hydraulic swing round
- Hydraulic telescopic arm, giving 400mm of side shift
- Hydraulic mast tilt in four directions
- All rams fitted with check valves
- Rubber topped post cap protects and secures posts
- Spirit level on mast for straight driving
- Adjustable legs on mainframe and mast

## SPECIFICATIONS

### Post Hammer - Hydraulic/Telescopic Arm

Code	65889T
Width	1230mm
Length	2000mm
Height	3300mm
Height.	2650mm (under hammer)
Weight	800kg
Price	£6540.00

## OPTIONS

Currently there are no options added to this product.

## TESTIMONIALS

Currently there are no testimonials added to this product.



Grovebury Road, Leighton Buzzard,  
Bedfordshire.  
LU7 4UX. UK.  
T: 01525 375157  
E: [info@brownsagricultural.co.uk](mailto:info@brownsagricultural.co.uk)