

Pushover (silage and feed mover)

OVERVIEW

The PUSHOVER saves time and effort pushing silage and feed back up against feed barriers so cattle can reach for feeding.

Available as single arm Silage Pusher.



FEATURES

- A simple sliding beam action will enable the pusher to be extended for different passage widths
- Suitable for feed passages of 8 to 15ft wide
- Robust main frame designed so loader brackets can be easily mounted.
- The tyres are angled so that the outside edges are in contact with feed passage first to enable the correct direction of rotation and feed movement.
- The tyres are mounted on axles to provide years of trouble free operation.
- Supplied with super single tyres that can be easily replaced and are available free from most commercial tyre dealers
- Available as single arm Silage Pusher.
- A tractor bracket is available to enable connection via the 3 point linkage or to an A frame
- Pallet fork bracket available sold seperately
- Telescopic/loader brackets sold seperately

SPECIFICATIONS

Pushover

Code	66200
Height	1000mm
Length	1160mm
Min Width	2440mm
Max Width	4260mm
Weight	300kg
Price	£1215.00

Pushover - 3 Point Linkage & A Frame

Code	66210
Height	1000mm
Length	1160mm
Min Width	2440mm
Max Width	4260mm
Weight	300kg
Price	£1400.00

Pushover - Single Arm

Code	66220
Height	1000mm
Length	1160mm
Min Width	2020mm
Max Width	2620mm
Weight	225kg
Price	£1055.00

Pushover - Single Arm - 3 Point Linkage & A Frame

Code	66230
Height	1000mm
Length	1160mm
Min Width	2020mm
Max Width	2620mm
Weight	225kg
Price	£1245.00

OPTIONS

Currently there are no options added to this product.

TESTIMONIALS

Currently there are no testimonials added to this product.





BROWNS

Agricultural Machinery Co. Ltd

Grovebury Road, Leighton Buzzard,
Bedfordshire.
LU7 4UX. UK.
T: 01525 375157
E: info@brownsagricultural.co.uk