

Universal (round and square bales)

OVERVIEW

The Universal grabs big bales by clamping the sides using a hydraulic ram. Either arm can be locked allowing just one arm to move.

Clamping distance is adjustable giving it a full range of movement it will open to 1800mm and close down to 730mm.



FEATURES

- Large back frame incorporated to accommodate brackets to fit any material handler
- Either arm can be locked allowing just one arm to move
- Clamping distance is adjustable giving it a full range of movement
- Opens to 1800mm and closes to 730mm
- Longer arms available upon request
- Teeth grips available to enable use with waste bales
- Comes complete with ram, hoses and couplings
- Brackets sold separately
- Working pressure should not exceed 200 bar

SPECIFICATIONS

Universal

| | |
|----------|----------|
| Code | 65061 |
| Width | 2030mm |
| Length | 1420mm |
| Height | 760mm |
| Weight | 380kg |
| Opening | 1800mm |
| Closing | 730mm |
| Max Load | 1000kg |
| Price | £1825.00 |

OPTIONS

Currently there are no options added to this product.

TESTIMONIALS

Currently there are no testimonials added to this product.



Grovebury Road, Leighton Buzzard,
Bedfordshire.
LU7 4UX. UK.
T: 01525 375157
E: info@brownsagricultural.co.uk